

# Safety Data Sheet



## Section 1: Identification

<b>Product Name:</b>	Down To Earth Solution Grade Gypsum	<b>Manufacturer:</b>	Down To Earth Distributors, Inc.
<b>Common Name(s):</b>	calcium sulfate, gypsum	<b>Physical Address:</b>	3030 Judkins Road Eugene, OR 97403
<b>Product Code:</b>	N/A	<b>Mailing Address:</b>	PO Box 1419 Eugene, OR 97440
<b>CAS #:</b>	13397-24-5	<b>Telephone Number:</b>	541-485-5932
<b>Recommended Use:</b>	Fertilizer	<b>Emergency #:</b>	800-234-5932
<b>Restrictions:</b>	N/A		

## Section 2: Hazard Identification

**Hazard Group:** Health  
**Hazard Classes:** Carcinogenicity (Category 1A)

### Hazard Statements

- H333: May be harmful if inhaled
- H335: May cause respiratory irritation
- H350: May cause cancer by inhalation
- H372: Causes damage to lungs through prolonged or repeated exposure by inhalation



Danger

### Precautionary Statements

#### Prevention

- P201: Obtain special instructions before use
- P202: Do not handle until all safety precautions have been read and understood
- P261: Avoid breathing dust
- P281: Use personal protective equipment as required

#### Response

- P304: If inhaled: remove person to fresh air and keep comfortable for breathing
- P305: If in eyes: rinse cautiously with water for several minutes
- P308: If exposed or concerned get medical attention

#### Storage

- P402: Store in a dry place. Avoid excessive humidity or moisture.

#### Disposal

- P501: Dispose of contents in an approved waste disposal site or landfill in accordance with local, state, and federal regulations.

# Safety Data Sheet



## Section 3: Composition/Information on Ingredients

### Ingredients

Chemical Name	Common name/Synonyms	CAS Number	%
Gypsum (CaSO <sub>4</sub> •2H <sub>2</sub> O)		13397-24-5	> 95
Quartz (Respirable <0.1%)		14808-60-7	< 0.5

## Section 4: First-Aid Measures

- Inhalation:** Remove person to fresh air and keep comfortable for breathing. If respiratory distress continues, seek medical attention.
- Skin Irritation:** Wash with plenty of soap and water. If irritation persists, seek medical attention.
- Eye:** Rinse cautiously with water for several minutes. If irritation persists, seek medical attention.
- Ingestion:** If gastrointestinal distress occurs, seek medical attention.
- Allergen:** This product may cause an allergic reaction. If an allergic reaction occurs, seek medical attention immediately.

## Section 5: Fire-Fighting Measures

- Suitable Extinguishing Media:** Water, regular foam, carbon dioxide, dry chemical
- Unsuitable Extinguishing Media:** None
- Flash Point:** N/A
- Specific Fire-Related Hazards:** None
- Special Fire-Fighting Procedures:** None
- Unusual Fire/Explosion Hazards:** None

## Section 6: Accidental Release Measures

- Personal Precautions:** Wear a particle mask and nitrile gloves during handling
- Environmental Precautions:** None
- Methods for Handling Spills:** In case of spill: handle using nitrile gloves and wear a particle mask. Employ best-practice sanitation methods for clean-up. Utilize a vacuum or sweep the product with a broom and dispose in a garbage receptacle. There are no special emergency procedures for clean-up.



## Safety Data Sheet

### Section 7: Handling and Storage

**Safe Handling:** Wear gloves and a particle mask when handling and transporting. Avoid excessive humidity, contact with moisture, and extreme temperatures to retain product functionality. There are no known incompatibilities with this material.

### Section 8: Exposure Control/Personal Protection

#### Occupational Exposure Limits:

Components	Type	Value
Gypsum (CaSO <sub>4</sub> •2H <sub>2</sub> O)	TLV	15 mg/m <sup>3</sup> (total dust)
Quartz (Respirable <0.1%)	TWA OSHA	30 mg/m <sup>3</sup> % SiO <sub>2</sub> (total dust)
	TWA OSHA PEL	10 mg/m <sup>3</sup> % SiO <sub>2</sub>
	TWA ACGIH TLV	0.025 mg/m <sup>3</sup> (respirable dust)

#### Recommended PPE and Handling Practices


**Respiratory:** Particle mask/Respirator  
**Skin Protection:** Nitrile gloves  
**Eye Protection:** Safety glasses  
**Hygiene:** Wash hands thoroughly with soap and water  
**Ventilation:** Ensure workspace is well-ventilated



Safety Glasses



Gloves



Particle Mask / Respirator

### Section 9: Physical and Chemical Properties

<b>Appearance:</b>	White powder	<b>Freezing Point:</b>	Unknown
<b>Flammability Limits:</b>	Unknown	<b>Solubility in Water:</b>	0.02 g/L @ 20°C
<b>Odor:</b>	None	<b>Initial Boiling Point:</b>	Unknown
<b>Odor Threshold:</b>	Unknown	<b>Boiling Range:</b>	Unknown
<b>Vapor Pressure:</b>	Unknown	<b>Flash Point:</b>	Unknown
<b>Vapor Density:</b>	Unknown	<b>Evaporation Rate:</b>	N/A
<b>pH:</b>	7.0	<b>Flammability:</b>	Unknown
<b>Specific Gravity:</b>	2.32 g/ml	<b>Viscosity:</b>	Unknown
<b>Melting Point:</b>	Unknown		

### Section 10: Stability and Reactivity

**Reactivity:** No specific test data is currently available  
**Chemical Stability:** Product is stable under normal temperatures and conditions  
**Conditions to Avoid:** Extreme temperatures and excessive moisture  
**Required Stabilizers:** None



## Safety Data Sheet

**Incompatibility:** None currently known

**Hazardous Decomposition:** Above 1450°C - calcium oxide (CaO) and sulfur dioxide (SO<sub>2</sub>)

**Hazardous Polymerization:** Will not occur

**Hazardous Reactions:** None currently known

### Section 11: Toxicological Information

**Primary Routes of Exposure:** Inhalation, skin contact, and eye contact

**Symptoms of Exposure:** May act as a slight irritant to the skin or respiratory system. Slight dermatitis may occur. Mild respiratory irritation and cough may occur. Possible allergic reactions in sensitive individuals. Rash and swelling may occur in skin. Mild respiratory distress and frequent coughing may occur. No studies currently known describing effects of delayed, immediate, or chronic effects from short- and long-term exposure.

**LD50:** Currently unknown

**Carcinogenicity:** The International Agency for Research on Cancer (IARC), in Monograph 100C has concluded that crystalline silica inhaled in the form of quartz is carcinogenic to humans (Group 1). Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs. The National Toxicology Program (NTP) classifies crystalline silica as a known carcinogen. Applications and exposure data indicate that exposure to respirable quartz in this product with normal use is well below the OSHA Permissible Exposure Limit (PEL) and ACGIH Threshold Limit Value (TLV). The manufacturer is not aware of any scientific or medical data available indicating that exposure to respirable crystalline silica from this product under conditions of normal use will cause silicosis or cancer. Adverse effects would not be expected from normal use of this product.

**Reproductive Toxicity:** Currently unknown

**Repeat Dose Toxicity:** No toxicity data available. Inhalation of excessive concentrations of any dust, including this material, may lead to lung injury. This product contains <0.1% respirable crystalline silica. Excessive inhalation of respirable crystalline silica may cause silicosis, a progressive, disabling and fatal disease of the lung. Symptoms may include cough, shortness of breath, wheezing and reduced pulmonary function.

**Medical Conditions Aggravated by Exposure:** Allergic reaction may occur

# Safety Data Sheet



## Section 12: Ecological Information

<b>Ecology:</b>	Currently unknown
<b>Ecological Effects:</b>	There are no known ecological effects
<b>Toxicity Testing:</b>	Currently unknown
<b>Bioaccumulation Potential:</b>	Currently unknown

## Section 13: Disposal Considerations

<b>Disposal Containers:</b>	There are no known restrictions on disposal containers
<b>Disposal Methods:</b>	Recommended disposal is use as fertilizer in a compost pile, garden, or other plant-based ecosystem. Alternatively, product may be disposed of in a landfill in accordance with local, state, and federal regulations.
<b>Disposal Restrictions:</b>	Do not dispose through sewage systems. Do not burn as a method of disposal.

## Section 14: Transport Information

<b>UN Number:</b>	None assigned
<b>UN Proper Shipping Name:</b>	None assigned
<b>Transport Hazard Class:</b>	Non-hazardous
<b>Environmental Hazards:</b>	None known
<b>Guidance on Bulk Transport:</b>	Use best known practices when shipping in bulk
<b>Special Precautions:</b>	None known

## Section 15: Regulatory Information

<b>CERCLA/Superfund:</b>	None
<b>SARA Hazard:</b>	Chronic Health
<b>Category (311/312)</b>	
<b>SARA 313:</b>	None
<b>TSCA:</b>	Components of this product are listed on the EPA TSCA Inventory or exempt from notification requirements.
<b>California Prop 65:</b>	This product contains respirable crystalline silica which is known to the state of California to cause cancer.
<b>EINECS:</b>	Components of this product are listed in the EINECS Inventory or exempt from notification requirements.
<b>EEC R&amp;S Phrases:</b>	Xn Harmful, R48/20 Harmful: Danger of serious damage to health by prolonged exposure by inhalation; S22 Do not breathe dust; S38 In case of insufficient ventilation, wear suitable respirator equipment.

# Safety Data Sheet



## Section 16: Other Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Date of Preparation:** 12/27/2018

**Date of Revision:** 12/27/2018